

Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

WIDOCRYL-Primer CP SV-B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

primer

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Widopan Produkte GmbH

Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0 Fax no. +49 (0) 4144 69821-20

Information provided by / telephone

+49 (0) 4144 69821-0

Advice on Safety Data Sheet

sdb_info@umco.de

Details of the importer

Address

Widopan Limited System House

Horndon Industrial Park

24 Station Rd

West Horndon

Brentwood

CM13 3XL

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements



Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





GHS02

Signal word

Danger

Hazardous component(s) to be indicated on label:

methyl-methacrylate ethylene dimethacrylate

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Hazard statements (EU)

EUH208 Contains 2-(N-methyl-p-toluidino)ethanol. May produce an allergic reaction.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing vapours/spray.

P312 Call a POISON CENTER/doctor if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P370+P378 In case of fire: Use water spray, carbon dioxide, dry chemical or foam to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

PBT assessment No data available. vPvB assessment No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Methyl methacrylate-based reactive resin

Hazardous ingredients

No	Substance name		Additi	onal information	1	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	methyl-methacryla	te				
	80-62-6	Flam. Liq. 2; H225	>=	70.00 - <	90.00	wt%
	201-297-1	Skin Irrit. 2; H315				
	607-035-00-6	Skin Sens. 1; H317				
	01-2119452498-28	STOT SE 3; H335				
2	ethylene dimethaci	ylate				



Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

	97-90-5 202-617-2 607-114-00-5 01-2119965172-38	Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 3; H412	<	2.50	wt%
3	2-(N-methyl-p-tolui	dino)ethanol			
	2842-44-6	Skin Sens. 1; H317	<	2.50	wt%
	220-638-5	Eye Irrit. 2; H319			
	-	Aquatic Chronic 2; H411			
	01-2120827830-56				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	D	-		-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

After skin contact

Remove with a cloth or paper. Wash off with soap and water. Don't use solvents. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Rinse the mouth thoroughly with water. Drink water in small gulps. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet.



Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Use barrier skin cream. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep in a cool place, heat causes increase in pressure and risk of bursting.

Recommended storage temperature

Value 5 - 25 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Fill containers only up to 80%, because oxygen (air) is necessary for stabilization.

Incompatible products

Do not store together with fire promoting substances. Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values



Trade name: WIDOCRYL-Primer CP SV-B

Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

No	Substance name	CAS no.		EC no.	
1	methyl-methacrylate	80-62-6		201-297-1	
	2009/161/EU				
	methyl methacrylate				
	WEL short-term (15 min reference period)			100	ppm
	WEL long-term (8-hr TWA reference period)			50	ppm
	List of approved workplace exposure limits (WELs) / E	H40			
	Methyl methacrylate				
	WEL short-term (15 min reference period)	416	mg/m³	100	ppm
	WEL long-term (8-hr TWA reference period)	208	mg/m³	50	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

	DIVEL Values (WOIKEI)				
No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6	
				201-297-1	
	dermal	Short term (acut)	local	1.5	mg/cm ²
	dermal	Long term (chronic)	systemic	13.67	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm ²
	inhalative	Long term (chronic)	systemic	348.4	mg/m³
	inhalative	Long term (chronic)	local	208	mg/m³
	inhalative	Short term (acut)	local	416	mg/m³
2	ethylene dimethacrylate			97-90-5	
	-			202-617-2	
	dermal	Long term (chronic)	systemic	1.3	mg/kg/day
	inhalative	Long term (chronic)	systemic	2.45	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6	
				201-297-1	
	oral	Long term (chronic)	systemic	8.2	mg/kg bw/day
	dermal	Short term (acut)	local	1.5	mg/cm ²
	dermal	Long term (chronic)	systemic	8.2	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm ²
	inhalative	Long term (chronic)	systemic	74.3	mg/m³
	inhalative	Long term (chronic)	local	104	mg/m³
	inhalative	Short term (acut)	local	208	mg/m³
2	ethylene dimethacrylate			97-90-5	
				202-617-2	
	oral	Long term (chronic)	systemic	0.83	mg/kg/day
	dermal	Long term (chronic)	systemic	0.83	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.45	mg/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	methyl-methacrylate		80-62-6	
			201-297-1	
	water	fresh water	0.94	mg/L
	water	marine water	0.094	mg/L
	water	Aqua intermittent	0.94	mg/L
	water	fresh water sediment	10.2	mg/kg
	water	marine water sediment	0.102	mg/kg dry
				weight



Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

s	soil	-	1.48	mg/kg dry weight
s	sewage treatment plant	-	10	mg/L
2 e	ethylene dimethacrylate		97-90-5	
			202-617-2	
W	vater	marine water	0.014	mg/L
W	vater	fresh water	0.139	mg/L
W	vater	marine water sediment	0.16	mg/kg dry weight
W	vater	fresh water sediment	1.6	mg/kg dry weight
s	soil	-	0.239	mg/kg dry weight
s	sewage treatment plant	-	57	mg/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas):

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Breakthrough time > 60 min

Other

Value

fire-resistant protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation		
liquid		
Form		
liquid		
Colour		
colourless		
Odour		
of acrylate		
Odour throshold		

0.05

ppm



Trade name: WIDOCRYL-Primer CP SV-B

Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

all and a			
pH value reason for missing pH	substance/mixture is non-s	soluble (in wate	er)
	Casotanoo/mixtaro io non	Joine (III Wate	
Boiling point / boiling range Value	101	°C	
Reference substance	Methyl methacrylate	C	
Molting point/frequing point	, ,		
Melting point/freezing point Value	-48	°C	
Reference substance	Methyl methacrylate	•	
Decomposition temperature			
No data available			
Flash point			
Value	12	°C	
Reference substance	Methyl methacrylate		
Ignition temperature			
No data available			
Flammability			
No data available			
Lower explosion limit Value	2.1	% vol	
Reference substance	Methyl methacrylate	70 701	
Upper explosion limit			
Value	12.5	% vol	
Reference substance	Methyl methacrylate	70 70.	
Vapour pressure			
Value	38.7	mbar	
Reference substance	Methyl methacrylate		
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
Value	0.99	g/cm³	
Reference temperature	25	°C	
Solubility in water			
Comments	insoluble		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value) No Substance name	CAS no.		EC no.
1 methyl-methacrylate	80-62-6		201-297-1
log Pow		1.38	
Reference temperature	FOLIA	20	°C
Source 2 ethylene dimethacrylate	97-90-5		202-617-2
log Pow	31-30-3	2.4	2V2-V11-Z
Reference temperature		20	°C
Method	OECD 117		
Source	ECHA		



Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

Kinematic viscosity	
Value	100 - 130 mPa*s
Reference temperature	25 °C
Туре	kinematic

Particle characteristics	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable if stored and handled properly.

10.3 Possibility of hazardous reactions

Polymerization upon exposure to white light, ultraviolet light or heat. Polymerization is highly exothermic and may produce sufficient heat to cause thermal decomposition and/or rupture of the container.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Protect from sun.

10.5 Incompatible materials

Peroxides; Amines; Azo compounds; Heavy metals; Oxidizing agents; Reducing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	ethylene dimethacrylate		97-90-5		202-617-2		
LD5	0	appr.		8300	mg/kg bodyweight		
Spe	cies	rat					
Meth	nod	OECD					
Soul	rce	ECHA					

Acu	te dermal toxicity				
No	Substance name		CAS no.		EC no.
1	methyl-methacrylate		80-62-6		201-297-1
LD5	0	>		5000	mg/kg bodyweight
Spe	cies	rabbit			
Meth	nod	OECD 402			
Soul	rce	ECHA			
2	ethylene dimethacrylate		97-90-5		202-617-2
LD5	0	>		2001	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 402			
Soul	rce	ECHA			

Acu	te inhalational toxicity			
No	Substance name	CAS no.	EC no.	
1	methyl-methacrylate	80-62-6	201-297-1	



Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

LC50 Duration of exposure		29.8 4	mg/l h
State of aggregation	Vapour		
Species	rat		
Source	ECHA		

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Res	Respiratory or skin sensitisation					
No	Substance name		CAS no.	EC no.		
1	methyl-methacrylate		80-62-6	201-297-1		
Rou	te of exposure	Skin				
Spe	cies	mouse				
Meth	nod	OECD 429				
Soul	rce	ECHA				
Eval	uation	sensitizing				
2	ethylene dimethacrylate		97-90-5	202-617-2		
Rou	te of exposure	Skin				
Spe	cies	mouse				
Meth	nod	OECD 406				
Soul	rce	ECHA				
Eval	uation	sensitizing				
Eval	uation/classification	Based on ava	ailable data, the clas	sification criteria are met.		

Germ cell mutagenicity						
No	Substance name	CAS no.	EC no.			
1	methyl-methacrylate	80-62-6	201-297-1			
Sou	rce	ECHA				
Eval	uation/classification	Based on available data, the classification criteria are not met.				

Reproduction toxicity

No data available

Carcinogenicity						
No	Substance name	CAS no.	EC no.			
1	methyl-methacrylate	80-62-6	201-297-1			
Soul	rce	ECHA				
Eval	luation/classification	Based on available data, the classification criteria are not met.				

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard No data available

Endocrine disrupting properties

No data available

11.2 Information on other hazards

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity



Trade name: WIDOCRYL-Primer CP SV-B

Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

Toxi	city to fish (acute)				
No	Substance name	CAS no.		EC no.	
1	methyl-methacrylate	80-62-6		201-297-1	
LC5	0	>	79	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Oncorhynchus mykiss			
Meth	nod	OECD 203			
Soul	rce	ECHA			
2	ethylene dimethacrylate	97-90-5		202-617-2	
LC5	0		15.95	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Danio rerio			
Meth	nod	OECD 203			
Soul	rce	ECHA			

Toxicity to fish (chronic) No data available

Toxi	Toxicity to Daphnia (acute)					
No	Substance name	CAS no.		EC no.		
1	methyl-methacrylate	80-62-6		201-297-1		
EC5	0		69	mg/l		
Dura	ation of exposure		48	h		
Spe	cies	Daphnia magna				
Meth	nod	OECD 202				
Soul	rce	ECHA				
2	ethylene dimethacrylate	97-90-5		202-617-2		
EC5	0		44.9	mg/l		
Dura	ation of exposure		48	h ¯		
Spe	cies	Daphnia magna				
Meth	nod	EU Method C.2				
Soul	rce	ECHA				

Toxi	city to Daphnia (chronic)			
No	Substance name	CAS no.		EC no.
1	methyl-methacrylate	80-62-6		201-297-1
NOE	EC .		37	mg/l
Dura	ation of exposure		21	day(s)
Spe	cies	Daphnia magna		
Meth	nod	OECD 211		
Soul	rce	ECHA		
2	ethylene dimethacrylate	97-90-5		202-617-2
NOE	:C		5.05	mg/l
Dura	ation of exposure		21	day(s)
Spe	cies	Daphnia magna		• • •
Meth	nod	OECD 211		
Soul	rce	ECHA		

Toxi	Toxicity to algae (acute)					
No	Substance name	CAS no.		EC no.		
1	methyl-methacrylate	80-62-6		201-297-1		
EC5	0	>	110	mg/l		
Dura	ation of exposure		72	h		
Spe	cies	Selenastrum capricornutum				
Meth	nod	OECD 201				
Soul	rce	ECHA				
2	ethylene dimethacrylate	97-90-5		202-617-2		
EC5	0		17.3	mg/l		
Dura	ation of exposure		72	h		
Spe	cies	Raphidocelis subcapitata				



Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

Method	OECD 201
Source	ECHA

Toxicity to algae (chronic)	
No data available	

Bac	Bacteria toxicity				
No	Substance name	CAS no.		EC no.	
1	ethylene dimethacrylate	97-90-5		202-617-2	
EC5	0		570	mg/l	
Dura	ation of exposure		3	h ¯	
Spe	cies	Pseudomonas putida			
Meth	nod	OECD 209			
Soul	rce	ECHA			

12.2 Persistence and degradability

<u> </u>	Persistence and degradability			
Biod	degradability			
No	Substance name	CAS no.	EC no.	
1	methyl-methacrylate	80-62-6	201-297-1	
Valu	e	94	%	
Dura	ation	14	day(s)	
Meth	nod	OECD 301 C		
Sou	rce	ECHA		
Eval	luation	readily biodegradable		
2	ethylene dimethacrylate	97-90-5	202-617-2	
Valu	e	69	%	
Dura	ation	28	d	
Meth	nod	OECD 301 F		
Sou	rce	ECHA		
Eval	luation	The test material is readily biodegradable but failed the 10-day window requirement according to the definitions of OECD Guideline 301E.		

12.3 Bioaccumulative potential

Biod	concentration factor (BCF)			
No	Substance name	CAS no.	EC no.	
1	ethylene dimethacrylate	97-90-5	202-617-2	
BCF		21.9		
Meth	nod	Calculation model used (Q)SAR		
Soul	ce	ECHA		

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	methyl-methacrylate		80-62-6		201-297-1	
log I	Pow			1.38		
Refe	erence temperature			20	°C	
Sou	rce	ECHA				
2	ethylene dimethacrylate		97-90-5		202-617-2	
log I	Pow			2.4		
Refe	erence temperature			20	°C	
Metl	hod	OECD 117				
Sou	rce	ECHA				

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

= 10 11000110 011 = 1 0110 11 1 = 000000110110	
Results of PBT and vPvB assessment	
Product Name	
WIDOCRYL-Primer CP SV-B	



Trade name: WIDOCRYL-Primer CP SV-B

Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

PBT assessment No data available.
vPvB assessment No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not let enter the product into drains or waterways and do not store on public depositories.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN1866 IMDG UN1866 ICAO-TI / IATA UN1866

14.2 UN proper shipping name

ADR/RID/ADN RESIN SOLUTION

IMDG RESIN SOLUTION

ICAO-TI / IATA Resin solution

3

14.3 Transport hazard class(es)

ADR/RID/ADN - Class 3 Label 3 Classification code F1 Tunnel restriction code D/E Hazard identification no. 33 Special Provision 640 640C 3 **IMDG - Class** Label 3 3 ICAO-TI / IATA - Class

14.4 Packing group

Label

ADR/RID/ADN || IMDG || ICAO-TI / IATA || I

14.5 Environmental hazards

EmS F-E, S-E

14.6 Special precautions for user

No data available.



Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	ethylene dimethacrylate	97-90-5	202-617-2	75
2	methyl-methacrylate	80-62-6	201-297-1	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances		
This product is subject to Part I of Annex I, risk category:	P5b	

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

D Certain substances which are susceptible to spontaneous polymerisation or

decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the

substance followed by the words 'non-stabilised'.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg



Trade name: WIDOCRYL-Primer CP SV-B

Current version: 7.0.0, issued: 13.09.2024 Replaced version: 6.0.0, issued: 07.12.2023 Region: GB

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 628654