

Current version: 4.0.1, issued: 13.09.2024 Reglaced version: 4.0.0, issued: 15.12.2023 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

WIDOCRYL-PM sealing, clear

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

sealing

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Widopan Produkte GmbH

Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0 Fax no. +49 (0) 4144 69821-20

Information provided by / telephone

+49 (0) 4144 69821-0

Advice on Safety Data Sheet

sdb_info@umco.de

Details of the importer

Address

Widopan Limited System House

Horndon Industrial Park

24 Station Rd

West Horndon

Brentwood

CM13 3XL

2.1

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H302 Aquatic Chronic 3; H412 Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.



Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

2.2 Label elements

<u>Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)</u>

Hazard pictograms





Signal word

Danger

Hazardous component(s) to be indicated on label:

methyl-methacrylate 2-ethylhexyl acrylate

1,1'-(p-tolylimino)dipropan-2-ol

2,2'-ethylenedioxydiethyl dimethacrylate

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains 2-(2H-benzotriazol-2-yl)-p-cresol. May produce an allergic reaction.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection.

P370+P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to

extinguish.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

PBT assessment No data available. vPvB assessment No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Methyl methacrylate-based reactive resin

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			
1	methyl-methacryla	te		



Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

	80-62-6	Flam. Liq. 2; H225	>=	50.00 - <	70.00	wt%
	201-297-1	Skin Irrit. 2; H315				
	607-035-00-6	Skin Sens. 1; H317				
	01-2119452498-28	STOT SE 3; H335				
2	2-ethylhexyl acryla	te				
	103-11-7	Skin Irrit. 2; H315	>=	25.00 - <	50.00	wt%
	203-080-7	Skin Sens. 1B; H317				
	607-107-00-7	STOT SE 3; H335				
	01-2119453158-37	Aquatic Chronic 3; H412				
3	1,1'-(p-tolylimino)di	propan-2-ol				
	38668-48-3	Acute Tox. 2; H300	<	5.00		wt%
	254-075-1	Aquatic Chronic 3; H412				
	-	Eye Irrit. 2; H319				
	01-2119980937-17					
4	2,2'-ethylenedioxyd	liethyl dimethacrylate				
	109-16-0	Skin Sens. 1B; H317	<	5.00		wt%
	203-652-6					
	-					
	01-2119969287-21					
5	2-(2H-benzotriazol-	2-yl)-p-cresol				
	2440-22-4	Aquatic Chronic 1; H410	>=	0.25 - <	1.00	wt%
	219-470-5	Skin Sens. 1B; H317				
	-					
	01-2119583811-34					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	D	-	-	-
2	D	-	-	-
4	D	-	-	-
5	-	-	-	M = 1

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acu	Acute toxicity estimate (ATE) values		
No	oral	dermal	inhalative
3	26 mg/kg bodyweight		

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

After skin contact

Remove with a cloth or paper. Wash off with soap and water. Don't use solvents. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Rinse the mouth thoroughly with water. Drink water in small gulps. Never give anything by mouth to an unconscious person.



Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Use barrier skin cream. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities



Trade name: WIDOCRYL-PM sealing, clear

Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep in a cool place, heat causes increase in pressure and risk of bursting.

Recommended storage temperature

Value 5 - 25 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Fill containers only up to 80%, because oxygen (air) is necessary for stabilization.

Incompatible products

Do not store together with fire promoting substances. Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	methyl-methacrylate	80-62-6		201-297-1	
	2009/161/EU				
	methyl methacrylate				
	WEL short-term (15 min reference period)			100	ppm
	WEL long-term (8-hr TWA reference period)			50	ppm
	List of approved workplace exposure limits (WELs) / E	H40			
	Methyl methacrylate				
	WEL short-term (15 min reference period)	416	mg/m³	100	ppm
	WEL long-term (8-hr TWA reference period)	208	mg/m³	50	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

	DNEL values (Worker)			010/50				
No	Substance name			CAS / EC no				
	Route of exposure	Exposure time	Effect	Value				
1	methyl-methacrylate			80-62-6				
				201-297-1				
	dermal	Short term (acut)	local	1.5	mg/cm²			
	dermal	Long term (chronic)	systemic	13.67	mg/kg			
	dermal	Long term (chronic)	local	1.5	mg/cm²			
	inhalative	Long term (chronic)	systemic	348.4	mg/m³			
	inhalative	Long term (chronic)	local	208	mg/m³			
	inhalative	Short term (acut)	local	416	mg/m³			
2	2-ethylhexyl acrylate			103-11-7				
				203-080-7				
	dermal	Long term (chronic)	systemic	6.5	mg/kg bw/day			
	inhalative	Long term (chronic)	local	38	mg/m³			
	inhalative	Short term (acut)	local	38	mg/m³			
3	1,1'-(p-tolylimino)dipropa	n-2-ol		38668-48-3				
				254-075-1				
	dermal	Long term (chronic)	systemic	0.70	mg/kg/day			
	inhalative	Long term (chronic)	systemic	2.47	mg/m³			
4	2,2'-ethylenedioxydiethyl	dimethacrylate		109-16-0				
				203-652-6				
	dermal	Long term (chronic)	systemic	13.9	mg/kg bw/day			
	inhalative	Long term (chronic)	systemic	48,5	mg/m³			



Trade name: WIDOCRYL-PM sealing, clear

Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

5	5 2-(2H-benzotriazol-2-yl)-p-cresol			2440-22-4 219-470-5	
	dermal	Long term (chronic)	systemic	2.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	1	mg/m³
	inhalative	Short term (acut)	systemic	1	mg/m³
	inhalative	Long term (chronic)	local	1	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	n .
110	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6 201-297-1	
	oral	Long torm (obrania)	avatamia	8.2	ma/ka bw/dov
		Long term (chronic)	systemic local		mg/kg bw/day
	dermal	Short term (acut)		1.5	mg/cm²
	dermal	Long term (chronic)	systemic	8.2	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm²
	inhalative	Long term (chronic)	systemic	74.3	mg/m³
	inhalative	Long term (chronic)	local	104	mg/m³
	inhalative	Short term (acut)	local	208	mg/m³
2	2-ethylhexyl acrylate			103-11-7 203-080-7	
	oral	Long term (chronic)	systemic	0.23	mg/kg bw/day
	dermal	Long term (chronic)	systemic	2.34	mg/kg bw/day
	inhalative	Long term (chronic)	local	4.5	mg/m³
3	1,1'-(p-tolylimino)dipropa	in-2-ol		38668-48-3 254-075-1	
	oral	Long term (chronic)	systemic	0.25	mg/kg/day
4	2,2'-ethylenedioxydiethyl			109-16-0 203-652-6	
	oral	Long term (chronic)	systemic	8,33	mg/kg bw/day
	dermal	Long term (chronic)	systemic	8,33	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	14,5	mg/m³
5	2-(2H-benzotriazol-2-yl)-p	o-cresol		2440-22-4 219-470-5	
	oral	Long term (chronic)	systemic	1.2	mg/kg/day
	dermal	Long term (chronic)	systemic	1.2	mg/kg/day

PNEC values

	PNEC values			
No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	methyl-methacrylate		80-62-6	
			201-297-1	
	water	fresh water	0.94	mg/L
	water	marine water	0.094	mg/L
	water	Aqua intermittent	0.94	mg/L
	water	fresh water sediment	10.2	mg/kg
	water	marine water sediment	0.102	mg/kg dry
				weight
	soil	-	1.48	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
2	2-ethylhexyl acrylate		103-11-7	
			203-080-7	
	water	fresh water	2.72	μg/L
	water	marine water	0.272	μg/L
	water	fresh water sediment	0.108	mg/kg dry
				weight
	water	marine water sediment	10.8	μg/kg dry
				weight



Trade name: WIDOCRYL-PM sealing, clear

Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

	T		T.	
	soil	-	1	mg/kg dry weight
	sewage treatment plant	-	2.3	mg/L
3	1,1'-(p-tolylimino)dipropan-2-ol		38668-48-3 254-075-1	
	water	fresh water	0.017	mg/L
	water	fresh water sediment	0.163	mg/kg dry weight
	water	marine water	0.0017	mg/L
	water	marine water sediment	0.016	mg/kg dry weight
	water	Aqua intermittent	0.17	mg/L
	soil	-	0.023	mg/kg
	sewage treatment plant	-	199.5	mg/L
4	2,2'-ethylenedioxydiethyl dimethac	crylate	109-16-0 203-652-6	
	water	fresh water	0,016	mg/L
	water	marine water	0.002	mg/L
	soil	-	0,027	mg/kg dry weight
	sewage treatment plant	-	1.7	mg/L
5	2-(2H-benzotriazol-2-yl)-p-cresol		2440-22-4 219-470-5	
	water	fresh water	0	mg/L
	water	marine water	0	mg/L
	water	fresh water sediment	0.136	mg/kg dry weight
	water	marine water sediment	0.014	mg/kg dry weight
	soil	-	100	mg/kg dry weight
	sewage treatment plant	-	1	mg/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas):

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Other

fire-resistant protective clothing

Environmental exposure controls

No data available.



Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation		
liquid		
Form liquid		
Colour		
violet		
Odour		
of acrylate		
Odour threshold Value	0.05	nom
	0.05	ppm
pH value reason for missing pH	substance/mixture is non-s	soluble (in water)
Boiling point / boiling range		,
Value	101	°C
Method Reference substance	DIN 51751 Methyl methacrylate	
Melting point/freezing point	,earyeardory.ace	
Value	-48	°C
Reference substance	Methyl methacrylate	
Decomposition temperature No data available		
Flash point		
Value	12	°C
Method Reference substance	DIN 51755 Methyl methacrylate	
	INICITY INCITION YIAIC	
Ignition temperature No data available		
Flammability		
No data available		
Value	2.1	% vol
Reference substance	Methyl methacrylate	70 VOI
Upper explosion limit		
Value	Mathyl mathagridate	% vol
Reference substance	Methyl methacrylate	
Vapour pressure Value	38.7	mbar
Reference substance	Methyl methacrylate	
Relative vapour density No data available		
Relative density		
No data available		
Density Value	0.98	a/om³
value	0.90	g/cm³



Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

Reference temperature	25 °C
Method	DIN 53217

Solubility in water	
Comments	insoluble

Solubility No data available

Part	Partition coefficient n-octanol/water (log value)						
No	Substance name		CAS no.		EC no.		
1	methyl-methacrylate		80-62-6		201-297-1		
log I	Pow			1.38			
Refe	erence temperature			20	°C		
Sou		ECHA					
2	2-ethylhexyl acrylate		103-11-7		203-080-7		
	Pow			4.64			
	erence temperature			25	°C		
Met		OECD 107					
Sou	<u> </u>	ECHA					
3	1,1'-(p-tolylimino)dipropan-2-ol		38668-48-3		254-075-1		
	Pow			2.1			
	erence temperature			24	°C		
Met		OECD 107					
Sou		ECHA					
4	2,2'-ethylenedioxydiethyl dimethacrylate		109-16-0		203-652-6		
	Pow			2.3			
Met		OECD 117					
Sou		ECHA					
5	2-(2H-benzotriazol-2-yl)-p-cresol		2440-22-4		219-470-5		
_	Pow			4.2			
	erence temperature			25	°C		
	reference to	pH: 6.3					
Met		OECD 107					
Sou	rce	ECHA					

Kinematic viscosity	
Value	140 - 180 mPa*s
Reference temperature	25 °C
Type	kinematic

Particle characteristics	
No data available	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable if stored and handled properly.

10.3 Possibility of hazardous reactions

Polymerization upon exposure to white light, ultraviolet light or heat. Polymerization is highly exothermic and may produce sufficient heat to cause thermal decomposition and/or rupture of the container.

10.4 Conditions to avoid



Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

Heat, naked flames and other ignition sources. Protect from sun.

10.5 Incompatible materials

Peroxides; Amines; Heavy metals; Oxidizing agents; Reducing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)							
Product Name							
WIDOCRYL-PM sealing, clear							
ATE (Mixture)	1040.00 mg/kg						
Method Calculation method according Regulation (EC) No 1272/2008,							
	(CLP), annex I, part 3, section 3.1.3.6.						

Acu	te oral toxicity					
No	Substance name		(CAS no.		EC no.
1	2-ethylhexyl acrylate			103-11-7		203-080-7
LD5)				4435	mg/kg bodyweight
Spec	cies	rat				
Meth	nod	OECD 4	401			
Soul	ce	ECHA				
2	1,1'-(p-tolylimino)dipropan-2-ol		;	38668-48-3		254-075-1
LD5)	> 2	25	-	200	mg/kg bodyweight
Spec	cies	rat				
Meth	nod	OECD 4	423			
Soul	ce	ECHA				
3	2-(2H-benzotriazol-2-yl)-p-cresol		:	2440-22-4		219-470-5
LD5)				10000	mg/kg bodyweight
Spec	cies	rat				
Meth	nod	OECD 4	423			
Soul	ce	ECHA				
Eval	uation/classification	Based of	on avai	lable data, the	classification	r criteria are not met.

Acute dermal toxicity						
No	Substance name		CAS no.		EC no.	
1	methyl-methacrylate		80-62-6		201-297-1	
LD5	0	>		5000	mg/kg bodyweight	
Spe	cies	rabbit				
Meth	nod	OECD 402				
Soul	rce	ECHA				
2	1,1'-(p-tolylimino)dipropan-2-ol		38668-48-3		254-075-1	
LD5	0	>		2000	mg/kg bodyweight	
Spe	cies	rat				
Meth	nod	OECD 402				
Soul	rce	ECHA				

Acu	Acute inhalational toxicity							
No	Substance name		CAS no.		EC no.			
1	methyl-methacrylate		80-62-6		201-297-1			
LC5	0			29.8	mg/l			
Dura	ation of exposure			4	h			
State	e of aggregation	Vapour						
Spe	cies	rat						
Soul	rce	ECHA						
2	2-(2H-benzotriazol-2-yl)-p-cresol		2440-22-4		219-470-5			
LC5	0	>		0.59	mg/l			



Duration of exposure	4 h
State of aggregation	Dust
Species	rat
Method	OECD 403
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Skir	n corrosion/irritation					
No	Substance name		CAS no.		EC no.	
1	2-ethylhexyl acrylate		103-11-7		203-080-7	
Spe	cies	rabbit				
Met	hod	BASF-Test				
Sou	rce	ECHA				
Eva	luation	irritant				
2	1,1'-(p-tolylimino)dipropan-2-ol		38668-48-3		254-075-1	
Spe	cies	rabbit				
Met	hod	OECD 404				
Sou	rce	ECHA				
Eva	luation	non-irritant				
3	2,2'-ethylenedioxydiethyl dimethacrylate		109-16-0		203-652-6	
Dura	ation of exposure			72	h	
Spe	cies	rabbit				
Met	hod	OECD 404				
Sou	rce	ECHA				
Eva	luation	non-irritant				
Eva	luation/classification	Based on ava	ailable data, the	classification	n criteria are not met.	
4	2-(2H-benzotriazol-2-yl)-p-cresol		2440-22-4		219-470-5	
Dura	ation of exposure			24	h	
Spe	cies	rat				
Met	hod	US FDA - Ap Cosmetics	praisal of the Sa	fety of Chem	nicals in Foods, Drugs an	d
Sou	rce	ECHA				
Eva	luation	non-irritant				
Eva	luation/classification	Based on ava	ailable data, the	classification	n criteria are not met.	

Seri	Serious eye damage/irritation						
No	Substance name		CAS no.	EC no.			
1	1,1'-(p-tolylimino)dipropan-2-ol		38668-48-3	254-075-1			
Spe	cies	rabbit					
Sou	rce	ECHA					
Eval	uation	Irritating to ey	yes				
2	2,2'-ethylenedioxydiethyl dimethacrylate		109-16-0	203-652-6			
Spe	cies	rabbit					
Metl	nod	OECD 405					
Sou	rce	ECHA					
Eval	uation	non-irritant					
Eval	uation/classification	Based on ava	ailable data, the cla	assification criteria are not met.			
3	2-(2H-benzotriazol-2-yl)-p-cresol		2440-22-4	219-470-5			
Spe	cies	rabbit					
Metl	nod	OECD 405					
Sou	rce	ECHA					
Eva	uation	non-irritant					
Eva	uation/classification	Based on ava	ailable data, the cla	assification criteria are not met.			

Res	Respiratory or skin sensitisation					
No	Substance name	CAS no.	EC no.			
1	methyl-methacrylate	80-62-6	201-297-1			
Rout	te of exposure	Skin				
Species		mouse				
		OECD 429				



Trade name: WIDOCRYL-PM sealing, clear

Source	I FCHA		i
Evaluation	sensitizing	100 11 =	
2 2-ethylhexyl acrylate		103-11-7	203-080-7
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	sensitizing		
3 1,1'-(p-tolylimino)dipropan-2-ol		38668-48-3	254-075-1
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizin	ng	
4 2,2'-ethylenedioxydiethyl dimethacrylate		109-16-0	203-652-6
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	sensitizing		
Evaluation/classification	Based on ava	ilable data, the classification	n criteria are met.
5 2-(2H-benzotriazol-2-yl)-p-cresol		2440-22-4	219-470-5
Route of exposure	Skin		
Species	Guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	sensitizing		
Evaluation/classification	Based on ava	ilable data, the classification	n criteria are met.

Germ cell mutagenicity				
	CAS no.	FC ===		
No Substance name		EC no.		
methyl-methacrylate	80-62-6	201-297-1		
Source	ECHA			
Evaluation/classification	Based on available data, the classification			
2 1,1'-(p-tolylimino)dipropan-2-ol	38668-48-3	254-075-1		
Source	ECHA			
Evaluation/classification	Based on available data, the classification	ition criteria are not met.		
3 2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6		
Method	OECD 471			
Source	ECHA			
Evaluation/classification	Based on available data, the classifica	ition criteria are not met.		
2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5		
Type of examination	in vitro gene mutation study in mamma	alian cells		
Species	Chinese hamster Ovary (CHO)			
Method	OECD 476			
Source	ECHA			
Evaluation/classification	Based on available data, the classification criteria are not met.			
Гуре of examination	in vitro gene mutation study in bacteria			
Species	S. typhimurium TA 1535, TA 1537, TA 98 and TA 100			
Method	OECD 471			
Source	ECHA			
Evaluation/classification	Based on available data, the classifica	ition criteria are not met.		
Route of exposure	oral			
Type of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte			
••	micronucleus			
Species	hamster			
Method OECD 474				
Source	ECHA			
Evaluation/classification	Based on available data, the classifica	ition criteria are not met.		



Route of exposure	oral		
Type of examination	Mammalian bone marrow micronucleus (in vivo)		
Species	hamster		
Method	OECD 475		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Rep	Reproduction toxicity				
No	Substance name	CAS no.	EC no.		
1	1,1'-(p-tolylimino)dipropan-2-ol	38668-48-3	254-075-1		
Sou	rce	ECHA			
Eval	uation/classification	Based on available data, the classificat	tion criteria are not met.		
2	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6		
Meth	nod	OECD 422			
Sou	rce	ECHA			
Eval	uation/classification	Based on available data, the classificat	tion criteria are not met.		
3	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5		
Rou	te of exposure	oral			
NOEL >= 300		>= 300	mg/kg bw/d		
Туре	e of examination	Combined Repeated Dose Toxicity Study with the			
		Reproduction/Developmental Toxicity Screening Test			
Spe		rat			
Meth	nod	OECD 422			
Sou		ECHA			
Eval	uation/classification	Based on available data, the classificat	tion criteria are not met.		
Rou	te of exposure	oral			
NOE	L	>= 1000	mg/kg bw/d		
Туре	e of examination	Prenatal Developmental Toxicity Study			
Spe	cies	rat			
Meth	nod	OECD 414			
Sou	rce	ECHA			
Evaluation/classification Based on available data, the classification of			tion criteria are not met.		

		l .	•		
Carcii	Carcinogenicity				
	Substance name	CA	S no.	EC no.	
1 r	methyl-methacrylate	80-	-62-6	201-297-1	
Source	e	ECHA			
Evalua	ation/classification	Based on availab	le data, the classification	on criteria are not met.	
2 2	2-(2H-benzotriazol-2-yl)-p-cresol	24	40-22-4	219-470-5	
Route	of exposure	oral			
NOEL	-	>=	3000	ppm	
Durati	on of exposure		104	week/s	
Specie	es	rat			
Metho	od	OECD 452			
Source	e	ECHA			
Evalua	ation/classification	Based on availab	le data, the classification	on criteria are not met.	
Route	of exposure	oral			
NOEL	-		500	ppm	
Durati	on of exposure		24	months	
Specie	es	mouse			
Method		OECD 451			
Source	e	ECHA			
Evaluation/classification		Based on availab	le data, the classification	on criteria are not met.	

STOT - single exposure	
No data available	

STC	STOT - repeated exposure					
No	Substance name	CAS no.	EC no.			
1	1,1'-(p-tolylimino)dipropan-2-ol	38668-48-3	254-075-1			



Current version : 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

Source	ECHA	
Evaluation/classification	Based on available data, the cla	ssification criteria are not met.
2 2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
Method	OECD 422	
Source	ECHA	
Evaluation/classification	Based on available data, the cla	ssification criteria are not met.
3 2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
Route of exposure	oral	
NOEL	1	000 ppm
Duration of exposure	9	0 day(s)
Species	dog	
Method	OECD 409	
Source	ECHA	
Evaluation/classification	Based on available data, the cla	ssification criteria are not met.

Aspiration hazard	
No data available	

Endocrine disrupting properties	
No data available	

11.2 Information on other hazards

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxic	Toxicity to fish (acute)					
No 3	Substance name		CAS no.		EC no.	
1	methyl-methacrylate		80-62-6		201-297-1	
LC50		>		79	mg/l	
	ion of exposure			96	h	
Speci		Oncorhynchu	s mykiss			
Metho	- -	OECD 203				
Sourc	-	ECHA				
	2-ethylhexyl acrylate		103-11-7		203-080-7	
LC50				1.81	mg/l	
	ion of exposure			96	h	
Speci		Oncorhynchu	s mykiss			
Metho	- -	OECD 203				
Source	-	ECHA				
	1,1'-(p-tolylimino)dipropan-2-ol		38668-48-3		254-075-1	
LC50				17	mg/l	
	ion of exposure	5 · ·		96	h	
Speci		Danio rerio				
Source		ECHA	400 40 0		000 050 0	
	2,2'-ethylenedioxydiethyl dimethacrylate		109-16-0	10.1	203-652-6	
LC50				16.4	mg/l	
	ion of exposure	Dania mania		96	h	
Speci Metho		Danio rerio				
	- -	OECD 203				
Source	-	ECHA	2440-22-4		240 470 E	
5 2	2-(2H-benzotriazol-2-yl)-p-cresol	>	Z44U-ZZ-4	0.17	219-470-5	
	ion of exposure			96	mg/l h	
Speci		Oncorhynchu	s mykiss			
Metho		OECD 203	•			
Source	ce	ECHA				



	Toxicity to fish (chronic)					
No d	No data available					
Toxi	city to Daphnia (acute)					
No	Substance name		CAS no.		EC no.	
1	methyl-methacrylate		80-62-6		201-297-1	
EC5	0			69	mg/l	
Dura	tion of exposure			48	h	
Spec		Daphnia mag	ına			
Meth		OECD 202				
Sour		ECHA				
2	2-ethylhexyl acrylate		103-11-7		203-080-7	
EC5				1.3	mg/l	
	tion of exposure			48	h	
Spec		Daphnia mag	ına			
Meth		OECD 202				
Sour		ECHA				
3	1,1'-(p-tolylimino)dipropan-2-ol	1	38668-48-3		254-075-1	
EC5				28.8	mg/l	
	tion of exposure	D		48	h	
Spec		Daphnia mag	ına			
Meth		OECD 202				
Sour		ECHA	2440-22-4		240 470 5	
4	2-(2H-benzotriazol-2-yl)-p-cresol	T	2440-22-4	1000	219-470-5	
EC5		>		1000	mg/l	
	tion of exposure	Danhnia maa	ın o	24	h	
Spec		Daphnia mag OECD 202	IIIa			
		ECHA				
Sour	ce	ECHA				

Tovi	city to Daphnia (chronic)				
No	Substance name		CAS no.		EC no.
1	methyl-methacrylate		80-62-6		201-297-1
NOE			<u> </u>	37	mg/l
Dura	ition of exposure			21	day(s)
Spec	cies	Daphnia magi	na		• • •
Method		OECD 211			
Soul		ECHA			
2	2-ethylhexyl acrylate		103-11-7		203-080-7
NOE				1.6	mg/l
	tion of exposure			21	day(s)
Spec		Daphnia magi	na		
Meth		OECD 211			
Soul		ECHA			
3	2,2'-ethylenedioxydiethyl dimethacrylate		109-16-0		203-652-6
NOE	• •			32	mg/l
	tion of exposure			21	day(s)
Spec		Daphnia magi	na		
Meth		OECD 211			
Sou		ECHA			
4	2-(2H-benzotriazol-2-yl)-p-cresol		2440-22-4		219-470-5
NOE				0.013	mg/l
Dura	tion of exposure			21	day(s)
Spec		Daphnia magi	na		
Meth	nod	OECD 211			
Soul	ce	ECHA			

Tox	Toxicity to algae (acute)				
No	Substance name	CAS no.	EC no.		
1	methyl-methacrylate	80-62-6	201-297-1		



Trade name: WIDOCRYL-PM sealing, clear

Current version : 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

EC50	>	110	mg/l
Duration of exposure		72	h
Species	Selenastrum capricornutum	12	
Method	OECD 201		
Source	ECHA		
2 2-ethylhexyl acrylate	103-11-7		203-080-7
ErC50	100 11 7	1.71	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
3 1,1'-(p-tolylimino)dipropan-2-ol	38668-48-3		254-075-1
EC50		245	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
4 2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0		203-652-6
EC50	>	100	mg/l
Duration of exposure		72	h
Species	Raphidocelis subcapitata		
Method	OECD 201		
Source	ECHA		
5 2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4		219-470-5
ErC50	>	82.2	μg/l
Duration of exposure		72	h
Species	Raphidocelis subcapitata		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)

No data available

Bac	Bacteria toxicity					
No	Substance name	CAS n	10.	EC no.		
1	2-(2H-benzotriazol-2-yl)-p-cresol	2440-2	22-4	219-470-5		
EC5	0	>	100	mg/l		
Dura	ation of exposure		3	h		
Species		activated sludge				
Meth	nod	OECD 209				
Soul	rce	ECHA				

12.2 Persistence and degradability

Fersistence and degradability					
legradability					
Substance name	CAS no.		EC no.		
methyl-methacrylate	80-62-6		201-297-1		
e		94	%		
ation		14	day(s)		
nod	OECD 301 C		, ,		
rce	ECHA				
uation	readily biodegradable				
2-ethylhexyl acrylate	103-11-7		203-080-7		
)	aerobic biodegradation				
e	70 -	. 80	%		
ation		28	day(s)		
nod	92/69/EEC C.4-D				
rce	ECHA				
uation	readily biodegradable				
1,1'-(p-tolylimino)dipropan-2-ol	38668-48-3		254-075-1		
;	aerobic biodegradation				
	Substance name methyl-methacrylate e stion nod cce suation 2-ethylhexyl acrylate e e stion nod cce suation	Substance name CAS no. methyl-methacrylate e strion nod CCC ccc uation 2-ethylhexyl acrylate e strion nod 2-ethylhexyl acrylate point on the color of the color	Substance name	Substance name	



Trade name: WIDOCRYL-PM sealing, clear

Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

Value		39.1	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	inherently biodegradable		
4 2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0		203-652-6
Туре	aerobic biodegradation		
Value		85	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		
5 2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4		219-470-5
Туре	aerobic biodegradation		
Value		2	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	not readily biodegradable		

12.3 Bioaccumulative potential

Biod	Bioconcentration factor (BCF)					
No	Substance name	CAS no.	EC no.			
1	2-(2H-benzotriazol-2-yl)-p-cresol 2440-22-4		219-470-5			
BCF		1456 - 1623				
Species		Oncorhynchus mykiss				
Method		OECD 305				
Soul	rce	ECHA				

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	methyl-methacrylate		80-62-6		201-297-1	
log F	Pow			1.38		
Refe	erence temperature			20	°C	
Sou		ECHA				
2	2-ethylhexyl acrylate		103-11-7		203-080-7	
log F	Pow			4.64		
Refe	erence temperature			25	°C	
Meth	nod	OECD 107				
Sou		ECHA				
3	1,1'-(p-tolylimino)dipropan-2-ol		38668-48-3		254-075-1	
log F	Pow			2.1		
	erence temperature			24	°C	
Meth		OECD 107				
Sou		ECHA				
4	2,2'-ethylenedioxydiethyl dimethacrylate		109-16-0		203-652-6	
log F	Pow			2.3		
Meth	nod	OECD 117				
Sou	rce	ECHA				
5	2-(2H-benzotriazol-2-yl)-p-cresol		2440-22-4		219-470-5	
log F	Pow			4.2		
	erence temperature			25	°C	
with	reference to	pH: 6.3				
Meth	nod	OECD 107				
Sou	rce	ECHA				

12.4 Mobility in soil

No data available.



Trade name: WIDOCRYL-PM sealing, clear

Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment				
Product Name				
WIDOCRYL-PM sealing, clear				
PBT assessment	No data available.			
vPvB assessment	No data available.			

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not discharge product unmonitored into the environment	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 UN number or ID number	14.1	UN	number	or ID	number
-----------------------------	------	----	--------	-------	--------

ICAO-TI / IATA UN1866

14.2 UN proper shipping name

ADR/RID/ADN RESIN SOLUTION

IMDG RESIN SOLUTION

ICAO-TI / IATA Resin solution

14.3 Transport hazard class(es)

······································	
ADR/RID/ADN - Class	3
Label	3
Classification code	F1
Tunnel restriction code	D/E
Hazard identification no.	33
Special Provision 640	640C
IMDG - Class Label	3 3
ICAO-TI / IATA - Class Label	3 3

14.4 Packing group

ADR/RID/ADN II
IMDG II
ICAO-TI / IATA II

14.5 Environmental hazards

EmS F-E, S-E



Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON					
THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND A	RTICLES				
The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3, 40				
The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006					
annex XVII.					

No	Substance name	CAS no.	EC no.	No	
1	2-ethylhexyl acrylate	103-11-7	203-080-7	75	
2	methyl-methacrylate	80-62-6	201-297-1	75	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances				
This product is subject to Part I of Annex I, risk category:	P5b			

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H300 Fatal if swallowed.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

D Certain substances which are susceptible to spontaneous polymerisation or

decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the

substance followed by the words 'non-stabilised'.

Creation of the safety data sheet



Trade name: WIDOCRYL-PM sealing, clear

Current version: 4.0.1, issued: 13.09.2024 Replaced version: 4.0.0, issued: 15.12.2023 Region: GB

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 609773