

Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

WIDOCRYL-point

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Coatings

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Widopan Produkte GmbH

Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0 Fax no. +49 (0) 4144 69821-20

Information provided by / telephone

+49 (0) 4144 69821-0

Advice on Safety Data Sheet

sdb_info@umco.de

Details of the importer

Address

Widopan Limited System House

Horndon Industrial Park

24 Station Rd

West Horndon

Brentwood

CM13 3XL

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411 Flam. Liq. 2; H225

Skin Irrit. 2; H315 Skin Sens. 1; H317

STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements



Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms







Signal word

Danger

Hazardous component(s) to be indicated on label:

methyl-methacrylate

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

dodecane-1-thiol

Hazard statement(s)

H225 Highly flammable liquid and vapour. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Toxic to aquatic life with long lasting effects. H411

Hazard statements (EU)

Contains Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and 2-[[2-(2-**EUH208**

hydroxyethoxy)ethyl](4-methylphenyl)amino]-ethanol, 2,2'-ethylenedioxydiethyl

dimethacrylate. May produce an allergic reaction.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

P391

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not applicable. The product is not a substance.

3.2 **Mixtures**

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	methyl-methacryla	te		



Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

80-62-6 Flam. Liq. 2; H225	>=	10.00 - <		
004 007 4 015 15 15 10 1104 5		10.00 - <	25.00	wt%
201-297-1 Skin Irrit. 2; H315				
607-035-00-6 Skin Sens. 1; H317				
01-2119452498-28 STOT SE 3; H335				
2 Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate				
and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate				
1065336-91-5 Aquatic Acute 1; H400	<	2.50		wt%
915-687-0 Aquatic Chronic 1; H410				
- Skin Sens. 1A; H317				
01-2119491304-40 Repr. 2; H361f				
Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and 2-[[2-				
(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-ethanol				
- Acute Tox. 4; H302	<	2.50		wt%
911-490-9 Aquatic Chronic 3; H412				
- Eye Dam. 1; H318				
01-2119979579-10 Skin Irrit. 2; H315				
Skin Sens. 1; H317				
4 dodecane-1-thiol				
112-55-0 Skin Corr. 1C; H314	<	2.50		wt%
203-984-1 Eye Dam. 1; H318				
- Skin Sens. 1A; H317				
01-2119491318-31 Aquatic Acute 1; H400				
Aquatic Chronic 1; H410				
5 2,2'-ethylenedioxydiethyl dimethacrylate				
109-16-0 Skin Sens. 1B; H317	<	2.50		wt%
203-652-6				
-				
01-2119969287-21				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	D	-	-	-
4	-	-	M = 10	M = 10
5	D	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

After skin contact

Remove with a cloth or paper. Wash off with soap and water. Don't use solvents. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Rinse the mouth thoroughly with water. Drink water in small gulps. Never give anything by mouth to an unconscious person.



Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Use barrier skin cream. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities



Trade name: WIDOCRYL-point

Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep in a cool place, heat causes increase in pressure and risk of bursting.

Recommended storage temperature

Value 5 - 25 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Fill containers only up to 80%, because oxygen (air) is necessary for stabilization.

Incompatible products

Do not store together with fire promoting substances. Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	methyl-methacrylate	80-62-6		201-297-1	
	2009/161/EU				
	methyl methacrylate				
	WEL short-term (15 min reference period)			100	ppm
	WEL long-term (8-hr TWA reference period)			50	ppm
	List of approved workplace exposure limits (WELs) / E	H40			
	Methyl methacrylate				
	WEL short-term (15 min reference period)	416	mg/m³	100	ppm
	WEL long-term (8-hr TWA reference period)	208	mg/m³	50	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

	DNEL values (worker)				
No	Substance name			CAS / EC no	0
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6	
				201-297-1	
	dermal	Short term (acut)	local	1.5	mg/cm²
	dermal	Long term (chronic)	systemic	13.67	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm²
	inhalative	Long term (chronic)	systemic	348.4	mg/m³
	inhalative	Long term (chronic)	local	208	mg/m³
	inhalative	Short term (acut)	local	416	mg/m³
2	Reaction mass of Bis(1,2,		dyl) sebacate and	1065336-91	-5
	Methyl 1,2,2,6,6-pentamet	hyl-4-piperidyl sebacate		915-687-0	
	dermal	Long term (chronic)	systemic	1.8	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	1.27	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6	
				201-297-1	
	oral	Long term (chronic)	systemic	8.2	mg/kg bw/day
	dermal	Short term (acut)	local	1.5	mg/cm²
	dermal	Long term (chronic)	systemic	8.2	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm²



Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

				740	1 2
	inhalative	Long term (chronic)	systemic	74.3	mg/m³
	inhalative	Long term (chronic)	local	104	mg/m³
	inhalative	Short term (acut)	local	208	mg/m³
2	Reaction mass of Bis(1,2,	2,6,6-pentamethyl-4-pipe	eridyl) sebacate and	1065336-	91-5
	Methyl 1,2,2,6,6-pentamet			915-687-	0
				915-687-	mg/kg bw/day
	Methyl 1,2,2,6,6-pentamet	hyl-4-piperidyl sebacate			

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	methyl-methacrylate		80-62-6	
			201-297-1	
	water	fresh water	0.94	mg/L
	water	marine water	0.094	mg/L
	water	Aqua intermittent	0.94	mg/L
	water	fresh water sediment	10.2	mg/kg
	water	marine water sediment	0.102	mg/kg dry
				weight
	soil	-	1.48	mg/kg dry
				weight
	sewage treatment plant	-	10	mg/L
2	Reaction mass of Bis(1,2,2,6,6-pentame		1065336-91-	5
	Methyl 1,2,2,6,6-pentamethyl-4-piperidy	yl sebacate	915-687-0	
	water	fresh water	0.002	mg/L
	water	marine water	0	mg/L
	water	fresh water sediment	1.05	mg/kg dry
				weight
	water	marine water sediment	0.11	mg/kg dry
				weight
	soil	-	0.21	mg/kg dry
				weight
	sewage treatment plant	-	1	mg/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas):

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

fire-resistant protective clothing

Environmental exposure controls

No data available.



Trade name: WIDOCRYL-point

Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation		
iquid		
Form		
liquid		
Colour		
coloured		
Odour		
of acrylate		
Odour threshold		
Value	0.05	ppm
pH value		
No data available		
Boiling point / boiling range		
Value	101	°C
Method Reference substance	DIN 51751 Methyl methacrylate	
	INIELITYI MELITACI YIALE	
Melting point/freezing point Value	-48	°C
Reference substance	Methyl methacrylate	C
	1	
Decomposition temperature No data available		
Flash point		
Value	12	°C
Method	DIN 51755	
Reference substance	Methyl methacrylate	
Ignition temperature		
No data available		
Flammability		
No data available		
Lower explosion limit		
Value Reference substance	2.1 Methyl methacrylate	% vol
	INIELITYI MELITACI YIALE	
Upper explosion limit	12.5	9/, vol
Value Reference substance	Methyl methacrylate	% vol
	, ,	
Vapour pressure Value	38.7	mbar
Reference substance	Methyl methacrylate	
Relative vapour density		
No data available		
Relative density		
No data available		
Density		



Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

Value	1.36 g/cm³
Reference temperature	25 °C
Method	DIN 53217

Solubility in water	
Comments	insoluble

Solubility	
No data available	

Portition coefficient a extensily return (log value)						
	tition coefficient n-octanol/water (log value)				
No	Substance name		CAS no.		EC no.	
1	methyl-methacrylate		80-62-6		201-297-1	
log F	Pow			1.38		
Refe	erence temperature			20	°C	
Sou	rce	ECHA				
2	Reaction mass of Bis(1,2,2,6,6-pentamet piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate		1065336-91-5		915-687-0	
log F	Pow	2.37	-	2.77		
Refe	erence temperature			25	°C	
with	reference to	pH 7				
Meth	hod	OECD 107				
Sou	rce	ECHA				
3	dodecane-1-thiol		112-55-0		203-984-1	
log F	Pow	>		6.5		
Refe	erence temperature			25	°C	
with	reference to	pH 7				
Meth	hod	OECD 117				
Sou	rce	ECHA				

Kinematic viscosity	
Value	490 - 700 mPa*s
Reference temperature	25 °C
Туре	kinematic
Method	DIN 53018

Particle characteristics
No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable if stored and handled properly.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, naked flames or other ignition sources, electrostatic charge and discharge, formation of vapours/aerosols.

10.5 Incompatible materials

Peroxides; Amines; Heavy metals; Oxidizing agents; Reducing agents

10.6 Hazardous decomposition products



Trade name: WIDOCRYL-point

Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity					
No	Substance name		CAS no.	EC no.		
1	Reaction mass of Bis(1,2,2,6,6-pentamet piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate		1065336-91-5	915-687-0		
LD5	0		323	60 mg/kg bodyweig	ght	
Spe	cies	rat				
Meth	nod	OECD 423				
Soul	rce	ECHA				
Eval	uation/classification	Based on av	ailable data, the class	sification criteria are not met.		
2	dodecane-1-thiol		112-55-0	203-984-1		
LD5	0	>	500	0 mg/kg bodyweig	ght	
Spe	cies	rat		<u> </u>		
Soul	rce	ECHA				

-					
Acu	te dermal toxicity				
No	Substance name		CAS no.		EC no.
1	methyl-methacrylate		80-62-6		201-297-1
LD5	0	>		5000	mg/kg bodyweight
Spec	cies	rabbit			
Meth	nod	OECD 402			
Sour	ce	ECHA			
2	Reaction mass of Bis(1,2,2,6,6-pentamet	hyl-4-	1065336-91-5		915-687-0
	piperidyl) sebacate and Methyl 1,2,2,6,6-				
	pentamethyl-4-piperidyl sebacate				
LD5	0	>		3170	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 402			
Soul	ce	ECHA			
Eval	uation/classification	Based on ava	ilable data, the	classification	criteria are not met.
3	dodecane-1-thiol		112-55-0		203-984-1
LD5	0	>=		2000	mg/kg bodyweight
Spec	cies	rabbit			
Meth	nod	OECD 402			
Soul	ce	ECHA			

Acu	Acute inhalational toxicity						
No	Substance name		CAS no.		EC no.		
1	methyl-methacrylate		80-62-6		201-297-1		
LC5	0			29.8	mg/l		
Dura	ation of exposure			4	h		
State	e of aggregation	Vapour					
Spec	cies	rat				ļ	
Soul	ce	ECHA					

Skir	Skin corrosion/irritation						
No	Substance name		CAS no.	EC no.			
1	Reaction mass of Bis(1,2,2,6,6-pentamet piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	_	1065336-91-5	915-687-0			
Spe	cies	rabbit					
Meth	nod	EPA OPP 8	31-5				
Soul	rce	ECHA					
Eval	uation	non-irritant					



Trade name: WIDOCRYL-point

Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

Evaluation/classification		Based on av	Based on available data, the classification criteria are not met.			
2	dodecane-1-thiol		112-55-0		203-984-1	
Dura	ition of exposure			4	h	
Spe	cies	rabbit				
Meth	nod	OECD 404				
Soul	ce	ECHA				
Eval	uation	corrosive				

Seri	Serious eye damage/irritation						
No	Substance name	(CAS no.	EC no.			
1	Reaction mass of Bis(1,2,2,6,6-pentameth piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	hyl-4- 1	065336-91-5	915-687-0			
Spec	cies	rabbit					
Meth	nod	EPA OPP 81-4					
Source		ECHA					
Evaluation		non-irritant non-irritant					
Eval	uation/classification	Based on available data, the classification criteria are not met.					

	•		
Respiratory or skin sensitisation			
No Substance name		CAS no.	EC no.
1 methyl-methacrylate		80-62-6	201-297-1
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	sensitizing		
2 Reaction mass of Bis(1,2,2,6,6-pentame	thyl-4-	1065336-91-5	915-687-0
piperidyl) sebacate and Methyl 1,2,2,6,6			
pentamethyl-4-piperidyl sebacate			
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	sensitizing		
Evaluation/classification	Based on av	ailable data, the class	ification criteria are not met.
3 dodecane-1-thiol		112-55-0	203-984-1
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	sensitizing		

⊏vai	uation	sensilizing					
Gerr	Germ cell mutagenicity						
	Substance name		CAS no.	EC no.			
1	methyl-methacrylate		80-62-6	201-297-1			
Sour	ce	ECHA					
Eval	uation/classification	Based on ava	ilable data, the classif	ication criteria are not met.			
2	Reaction mass of Bis(1,2,2,6,6-pentamet)	hyl-4-	1065336-91-5	915-687-0			
	piperidyl) sebacate and Methyl 1,2,2,6,6-						
	pentamethyl-4-piperidyl sebacate						
Type	of examination	in vitro gene r	mutation study in mam	malian cells			
Spec	cies	Chinese hamster V79 cells					
Meth	od	OECD 476					
Sour	ce	ECHA					
Eval	uation/classification	Based on available data, the classification criteria are not met.					
Туре	of examination	in vitro gene r	mutation study in bacte	eria			
Spec	cies	Salmonella typhimurium / Escherichia coli					
Meth	od	OECD 471					
Sour	ce	ECHA					



Trade name: WIDOCRYL-point

Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

Evaluation/classification	Based on available data, the classification criteria are not met.
Type of examination	In vitro Mammalian Chromosomal Aberration Test
Species	Human Lymphocyte
Method	OECD 473
Source	ECHA
Evaluation/classification	Based on the available data, the classification criteria are not met.
Route of exposure	oral
Type of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte
	micronucleus
Species	mouse
Method	OECD 474
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Reproduction toxicity

No data available

Card	Carcinogenicity							
No	Substance name	CAS no.	EC no.					
1	methyl-methacrylate	80-62-6	201-297-1					
Sou	rce	ECHA						
Eval	uation/classification	Based on available data, the classificati	on criteria are not met.					

STOT - single exposure No data available

STO	STOT - repeated exposure							
No	Substance name	C	CAS no.	EC no.				
1	Reaction mass of Bis(1,2,2,6,6-pentamethyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	hyl-4- 1	065336-91-5	915-687-0				
Rout	e of exposure	oral						
Spec	cies	rats (male/fema	ale)					
Meth	nod	OECD 407						
Sour	ce	ECHA						
Eval	uation/classification	Based on availa	able data, the classification	on criteria are not met.				

ĺ	Aspiration hazard
	No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Tox	Toxicity to fish (acute)							
No	Substance name		AS no.	EC no.				
1	methyl-methacrylate	8	0-62-6	201-297-1				
LC5	0	>	79	mg/l				
Dura	ation of exposure		96	h				
Spe	cies	Oncorhynchus	mykiss					
Metl	hod	OECD 203						
Sou	rce	FCHA						



Trade name: WIDOCRYL-point

Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

2	Reaction mass of Bis(1,2,2,6,6-pentame) piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate		1065336-91-5		915-687-0	
LC5	0			0.9	mg/l	
Dura	ation of exposure			96	h	
Spe	cies	Danio rerio				
Sou	rce	ECHA				
3	dodecane-1-thiol		112-55-0		203-984-1	
LC5	0	>		100	mg/l	
Dura	ation of exposure			96	h	
Spe	cies	Oncorhynchu	ıs mykiss			
Sou	rce	ECHA	-			

Toxicity to fish (chronic) No data available

Toxi	city to Daphnia (acute)					
No	Substance name		CAS no.		EC no.	
1	methyl-methacrylate	8	30-62-6		201-297-1	
EC5	0			69	mg/l	
Dura	ation of exposure			48	h	
Spe	cies	Daphnia magn	a			
Meth	nod	OECD 202				
Soul	rce	ECHA				
2	dodecane-1-thiol	•	112-55-0		203-984-1	
EC5	0	>		10	mg/l	
Dura	ation of exposure			48	h	
Spe	cies	Daphnia magn	а			
Meth	nod	OECD 202				
Soul	rce	ECHA				
Eval	uation/classification	The tested concentration is above the limit of solubility. Based on				
		available data, the classification criteria are not met.				

Toxi	Toxicity to Daphnia (chronic)							
No	Substance name	CAS no.		EC no.				
1	methyl-methacrylate	80-62-6		201-297-1				
NOE	EC .		37	mg/l				
Dura	ation of exposure		21	day(s)				
Spe	cies	Daphnia magna		• • •				
Meth	nod	OECD 211						
Soul	rce	ECHA						

Toxicity to algae (acute)				
No Substance name		CAS no.		EC no.
1 methyl-methacrylate		80-62-6		201-297-1
EC50	>		110	mg/l
Duration of exposure			72	h
Species	Selenastrum	capricornutum		
Method	OECD 201			
Source	ECHA			
2 Reaction mass of Bis(1,2,2,6,6-pentamet		1065336-91-5		915-687-0
piperidyl) sebacate and Methyl 1,2,2,6,6-				
pentamethyl-4-piperidyl sebacate				
EC50			0.42	mg/l
Duration of exposure			72	h
Species	Desmodesmu	us subspicatus		
Method	OECD 201			
Source	ECHA			
3 dodecane-1-thiol		112-55-0		203-984-1
EC50	>		0.0145	mg/l



Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

Duration of exposure	72 h
Species	Raphidocelis subcapitata
Method	OECD 201
Source	ECHA
Evaluation/classification	The tested concentration is above the limit of solubility. Based on
	available data, the classification criteria are not met.

Toxi	city to algae (chronic)				
No	Substance name	CAS no.	E	C no.	
1	dodecane-1-thiol	112-55-0	20	03-984-1	
NOE	EC .	14	4.5	μg/l	
Dura	ation of exposure	7:	2	h	
Spe	cies	Raphidocelis subcapitata			
Soul	rce	ECHA			
Eval	uation/classification	Based on available data, the cla	ssification cr	riteria are met.	

Bac	Bacteria toxicity							
No	Substance name	CA	AS no.		EC no.			
1	Reaction mass of Bis(1,2,2,6,6-pentameth piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	hyl-4- 10	65336-91-5		915-687-0			
IC50		>=		100	mg	 		
Dura	ation of exposure			3	h			
Spec	cies	activated sludge						
Meth	nod	OECD 209						
Soul	rce	ECHA						

12.2 Persistence and degradability

Biodegradability						
No	Substance name		CAS no.		EC no.	
1	methyl-methacrylate		80-62-6		201-297-1	
Valu	e			94	%	
Dura	ation			14	day(s)	
Meth	nod	OECD 301 C				
Soul	Source					
Eval	uation	readily biodeg	radable			
2	Reaction mass of Bis(1,2,2,6,6-pentamet	hyl-4-	1065336-91-5		915-687-0	
	piperidyl) sebacate and Methyl 1,2,2,6,6-					
	pentamethyl-4-piperidyl sebacate					
Туре		aerobic biode	gradation			
Valu	e			38	%	
Duration				28	d	
Method		OECD 301 E				
Source		ECHA				
Evaluation		Moderately/pa	rtially biodegrad	lable		

12.3 Bioaccumulative potential

ostance name action mass of Bis(1,2,2,6,6-pentameth		CAS no.	E	C no.
action mass of Bis(1,2,2,6,6-pentameth				J 110.
eridyl) sebacate and Methyl 1,2,2,6,6- ntamethyl-4-piperidyl sebacate	ıyl-4-	1065336-91-5	91	15-687-0
	<	3′	1.4	
	7 1 1	0		
е	eridyl) sebacate and Methyl 1,2,2,6,6-tamethyl-4-piperidyl sebacate	ridyl) sebacate and Methyl 1,2,2,6,6- tamethyl-4-piperidyl sebacate	ridyl) sebacate and Methyl 1,2,2,6,6-tamethyl-4-piperidyl sebacate Cyprinus carpio	ridyl) sebacate and Methyl 1,2,2,6,6- tamethyl-4-piperidyl sebacate < 31.4 Cyprinus carpio

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name	CAS no.	EC no.			
1	methyl-methacrylate	80-62-6	201-297-1			
log F	Pow	1.38				



Trade name: WIDOCRYL-point

Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

Refe	erence temperature			20	°C	
Soul	•	ECHA				
2	Reaction mass of Bis(1,2,2,6,6-pentamet piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	hyl-4-	1065336-91-5		915-687-0	
log F	Pow	2.37	-	2.77		
Refe	erence temperature			25	°C	
with	reference to	pH 7				
Meth	nod	OECD 107				
Soul	rce	ECHA				
3	dodecane-1-thiol		112-55-0		203-984-1	
log F	Pow	>		6.5		
Refe	erence temperature			25	°C	
with	reference to	pH 7				
Meth	nod	OECD 117				
Soul	rce	ECHA				

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment			
PBT assessment According to the information provided in the supply chain, the mixture			
does not contain > 0.1% of a substance that is considered t			
vPvB assessment	According to the information provided in the supply chain, the mixture		
	does not contain > 0.1% of a substance that is considered to be		
	vPvB.		

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

0	ther information
D	o not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN1866
IMDG UN1866
ICAO-TI / IATA UN1866

14.2 UN proper shipping name

ADR/RID/ADN Technical name **RESIN SOLUTION**

name Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl

1,2,2,6,6-pentamethyl-4-piperidyl sebacate



Trade name: WIDOCRYL-point

Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

IMDG RESIN SOLUTION

Technical name Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl

1,2,2,6,6-pentamethyl-4-piperidyl sebacate

ICAO-TI / IATA Resin solution

14.3 Transport hazard class(es)

ADR/RID/ADN - Class 3 Label 3 Classification code F1 Tunnel restriction code D/E Hazard identification no. 33 Special Provision 640 640C **IMDG - Class** 3 Label 3 ICAO-TI / IATA - Class 3 Label 3

14.4 Packing group

ADR/RID/ADN II
IMDG II
ICAO-TI / IATA II

14.5 Environmental hazards

ADR/RID/ADN Symbol "fish and tree"

IMDG Symbol "fish and tree"

EmS F-E, S-E

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	methyl-methacrylate	80-62-6	201-297-1	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous s	ds involving dangerous substances	
This product is subject to Part I of Annex I, risk category:	E2, P5b	



Trade name: WIDOCRYL-point

Current version: 3.0.0, issued: 01.07.2024 Replaced version: 2.0.0, issued: 15.12.2023 Region: GB

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

D Certain substances which are susceptible to spontaneous polymerisation or

decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the

substance followed by the words 'non-stabilised'.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 628850