

Current version : 13.1.0, issued: 06.06.2024 **Replaced version :** 13.0.0, issued: 15.12.2023 **Region :** GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

WIDOPAN-Uini Primer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Primer coat for sealing systems

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Widopan Produkte GmbH

Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0 Fax no. +49 (0) 4144 69821-20

Information provided by / telephone

+49 (0) 4144 69821-0

Advice on Safety Data Sheet

sdb_info@umco.de

Details of the importer

Address

Widopan Limited System House

Horndon Industrial Park

24 Station Rd

West Horndon

Brentwood

CM13 3XL

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Carc. 2; H351 Eye Irrit. 2; H319 Flam. Liq. 2; H225 Resp. Sens. 1; H334 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT RE 2; H373

STOT SE 3; H335

STOT SE 3; H336

Classification information



Current version : 13.1.0, issued: 06.06.2024 **Replaced version :** 13.0.0, issued: 15.12.2023 **Region :** GB

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms







3HS02

Signal word Danger

Hazardous component(s) to be indicated on label:

Aromatic polyisocyanate prepolymer

acetone

Aromatic polyisocyanate prepolymer

diphenylmethanediisocyanate, isomeres and homologues

diphenylmethane-2,4'-diisocyanate diphenylmethane-4,4'-diisocyanate

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure

Hazard statements (EU)

EUH204 Contains isocyanates. May produce an allergic reaction.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 In case of inadequate ventilation wear respiratory protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P370+P378 In case of fire: Use water spray, carbon dioxide, dry chemical or foam to extinguish.

Supplemental label elements

'As from 24 August 2023 adequate training is required before industrial or professional use'

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 Replaced version: 13.0.0, issued: 15.12.2023 Region: GB

Chemical characterization

PU system, solvent containing

Hazardous ingredients

	Hazardous ingredients					
No	Substance name		_	tional information	n	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration		%
	REACH no					
1	Aromatic polyisocy					
	72088-97-2	Acute Tox. 4; H332	>=	25.00 - <	50.00	wt%
	-	Skin Irrit. 2; H315				
	-	Eye Irrit. 2; H319				
	-	Resp. Sens. 1; H334				
		Skin Sens. 1; H317				
		STOT SE 3; H335				
		STOT RE 2; H373				
2	acetone					
	67-64-1	Flam. Liq. 2; H225	>=	25.00 - <	50.00	wt%
	200-662-2	Eye Irrit. 2; H319				
	606-001-00-8	STOT SE 3; H336				
	01-2119471330-49	EUH066				
3	Aromatic polyisocy	/anate prepolymer				
	67815-87-6	Skin Irrit. 2; H315	>=	10.00 - <	25.00	wt%
	-	Skin Sens. 1; H317	1			
	-	Eye Irrit. 2; H319	1			
	-	Acute Tox. 4; H332	1			
		Resp. Sens. 1; H334				
		STOT SE 3; H335				
		STOT RE 2; H373				
4	diphenylmethaned	iisocyanate, isomeres and homologues				
-	9016-87-9	Skin Irrit. 2; H315	>=	5.00 - <	10.00	wt%
	-	Skin Sens. 1; H317		0.00		,
	615-005-00-9	Eye Irrit. 2; H319				
	-	Acute Tox. 4*; H332				
		Resp. Sens. 1; H334				
		STOT SE 3; H335				
		Carc. 2; H351				
		STOT RE 2*; H373**				
5	diphenylmethane-2					
	5873-54-1	Acute Tox. 4; H332	>=	5.00 - <	10.00	wt%
	227-534-9	Carc. 2; H351	-	5.00 - <	10.00	WI 70
	615-005-00-9	Eye Irrit. 2; H319				
	01-2119480143-45	Resp. Sens. 1; H334				
	01-2119400143-43	Skin Irrit. 2; H315				
		Skin Sens. 1; H317				
		STOT RE 2; H373i				
6	dinhanylmathana A	STOT SE 3; H335				
6	diphenylmethane-4	Acute Tox. 4; H332	>=	5.00 - <	10.00	vart0/
	101-68-8 202-966-0		1-	5.00 - <	10.00	wt%
		Carc. 2; H351				
	615-005-00-9	Eye Irrit. 2; H319	1			
	01-2119457014-47	Resp. Sens. 1; H334	1			
		Skin Irrit. 2; H315	1			
		Skin Sens. 1; H317	1			
		STOT RE 2; H373i				
_	0 41:	STOT SE 3; H335				
7	2-methoxy-1-methy			5.00	10.05	101
	108-65-6	Flam. Liq. 3; H226	>=	5.00 - <	10.00	wt%
	203-603-9	STOT SE 3; H336	1			
	607-195-00-7					
	01-2119475791-29					



Current version : 13.1.0, issued: 06.06.2024 **Replaced version :** 13.0.0, issued: 15.12.2023 **Region :** GB

8	tosyl isocyanate				
	4083-64-1	EUH014	<	2.50	wt%
	223-810-8	Eye Irrit. 2; H319			
	615-012-00-7	Resp. Sens. 1; H334			
	01-2119980050-47	Skin Irrit. 2; H315			
		STOT SE 3; H335			
9	2,2'-methylenediph	enyl diisocyanate			
	2536-05-2	Acute Tox. 4; H332	<	0.10	wt%
	219-799-4	Carc. 2; H351			
	615-005-00-9	Eye Irrit. 2; H319			
	01-2119927323-43	Resp. Sens. 1; H334			
		Skin Irrit. 2; H315			
		Skin Sens. 1; H317			
		STOT RE 2; H373i			
		STOT SE 3; H335			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
4	C, 2	Resp. Sens. 1; H334: C >= 0.1% Skin Irrit. 2: H315: C >= 5%	-	-
		Eye Irrit. 2; H319: C >= 5%		
		STOT SE 3; H335: C >= 5%		
5	C, 2	Resp. Sens. 1; H334: C >= 0.1%	-	-
		Eye Irrit. 2; H319: C >= 5%		
		STOT SE 3; H335: C >= 5%		
		Skin Irrit. 2; H315: C >= 5%		
6	C, 2	Resp. Sens. 1; H334: C >= 0.1%	-	-
		Eye Irrit. 2; H319: C >= 5%		
		Skin Irrit. 2; H315: C >= 5%		
		STOT SE 3; H335: C >= 5%		
9	C, 2	Resp. Sens. 1; H334: C >= 0.1%	-	-
		Eye Irrit. 2; H319: C >= 5%		
		Skin Irrit. 2; H315: C >= 5%		
		STOT SE 3; H335: C >= 5%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
5	H373i
	inhalational; -; -
6	H373i
	inhalational; -; -
9	H373i
	inhalational: -: -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

After skin contact



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 **Replaced version:** 13.0.0, issued: 15.12.2023 **Region:** GB

Wash off immediately with soap and water. Don't use solvents.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person. Rinse the mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Isocyanate vapours. Traces of hydrogen cyanide.

5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Suppress gases/vapours/mists with water spray jet. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Cover up with damp, liquid absorbing material (e. g. sawdust, chemical binding material based on calcium silicate hydrate, sand). After 1 hour collect in stainless containers for waste material disposal. Do not seal containers (generation of CO2)! Keep damp and let stand in a secured outdoor location for several days. Dispose according to section 13. Clean contaminated surfaces thoroughly with water. Decontaminate wash water (see item 7) and dispose of.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling



Current version : 13.1.0, issued: 06.06.2024 **Replaced version:** 13.0.0, issued: 15.12.2023 **Region:** GB

Ensure adequate ventilation. When filling, transferring, or emptying of containers, adequate suctioning close to work place necessary. Provide suitable exhaust ventilation at the processing machines. If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Keep ready a decontamination solution consisting of ammonia solution (190 g/l), water and ethanol (5 %, 50 %, 45 %).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Precautions should be taken to minimise exposure to atmospheric humidity or water: CO2 will be formed which in closed containers can result in pressurisation. DO NOT KEEP THE CONTAINERS SEALED!! Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container. Cover opened container with nitrogen in order to keep moisture away from the product.

Incompatible products

Do not store together with: oxidizing agents; Metals; Reducing agents; Keep away from water. Alcohols; Amines; Acids; Bases; Alcali metals; copper and copper alloys

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.			
1	acetone	67-64-1		200-662-2			
	2000/39/EC						
	Acetone						
	WEL long-term (8-hr TWA reference period)	1210	mg/m³	500	ppm		
	List of approved workplace exposure limits (WELs) / EH40						
	Acetone						
	WEL short-term (15 min reference period)	3620	mg/m³	1500	ppm		
	WEL long-term (8-hr TWA reference period)	1210	mg/m³	500	ppm		
2	diphenylmethanediisocyanate, isomeres and	9016-87-9					
	homologues						
	List of approved workplace exposure limits (WELs) / E	EH40					
	Isocyanates, all (as -NCO) Exept methyl isocyanate						
	WEL short-term (15 min reference period)	0.07	mg/m³				
	WEL long-term (8-hr TWA reference period)	0.02	mg/m³				
	Comments	Sen					
3	diphenylmethane-4,4'-diisocyanate	101-68-8		202-966-0			
	List of approved workplace exposure limits (WELs) / E	EH40					
	Isocyanates, all (as -NCO) Exept methyl isocyanate						
	WEL short-term (15 min reference period)	0.07	mg/m³				
	WEL long-term (8-hr TWA reference period)	0.02	mg/m³				
	Comments	Sen					



Trade name: WIDOPAN-Uini Primer

Current version: 13.1.0, issued: 06.06.2024 Replaced version: 13.0.0, issued: 15.12.2023 Region: GB

4	2-methoxy-1-methylethyl acetate	108-65-6		203-603-9		
	List of approved workplace exposure limits (WELs) / EH40					
	1-Methoxypropylacetate					
	WEL short-term (15 min reference period)	548	mg/m³	100	ppm	
	WEL long-term (8-hr TWA reference period)	274	mg/m³	50	ppm	
	Comments	Sk				
	2000/39/EC					
	2-Methoxy-1-methylethylacetate					
	WEL short-term (15 min reference period)	550	mg/m³	100	ppm	
	WEL long-term (8-hr TWA reference period)	275	mg/m³	50	ppm	
	Skin resorption / sensibilisation	Skin			•	

DNEL, DMEL and PNEC values

	DNEL values (worker)						
No	Substance name			CAS / EC no			
	Route of exposure	Exposure time	Effect	Value			
1	acetone			67-64-1			
				200-662-2			
	dermal	Long term (chronic)	systemic	186	mg/kg/day		
	inhalative	Short term (acut)	local	2420	mg/m³		
	inhalative	Short term (acut)	systemic	1210	mg/m³		
2	diphenylmethane-2,4'-diisocyanate			5873-54-1			
				227-534-9			
	inhalative	Long term (chronic)	local	0.05	mg/m³		
	inhalative	Short term (acut)	local	0.1	mg/m³		
3	diphenylmethane-4,4'-diis	ocyanate		101-68-8			
				202-966-0			
	inhalative	Long term (chronic)	local	0.05	mg/m³		
	inhalative	Short term (acut)	local	0.1	mg/m³		
4	2-methoxy-1-methylethyl	acetate		108-65-6			
				203-603-9			
	dermal	Long term (chronic)	systemic	796	mg/kg/day		
	inhalative	Long term (chronic)	systemic	275	mg/m³		
	inhalative	Short term (acut)	local	550	mg/m³		

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	acetone			67-64-1 200-662-2	
	oral	Long term (chronic)	systemic	62	mg/kg/day
	dermal	Long term (chronic)	systemic	62	mg/kg/day
	inhalative	Long term (chronic)	systemic	200	mg/m³
2	2 diphenylmethane-2,4'-diisocyanate			5873-54-1 227-534-9	
	inhalative	Long term (chronic)	local	0.025	mg/m³
	inhalative	Short term (acut)	local	0.05	mg/m³
3	diphenylmethane-4,4'-diis	ocyanate		101-68-8 202-966-0	
	inhalative	Long term (chronic)	local	0.025	mg/m³
	inhalative	Short term (acut)	local	0.05	mg/m³
4	2-methoxy-1-methylethyl acetate			108-65-6 203-603-9	
	oral	Long term (chronic)	systemic	36	mg/kg/day
	oral	Short term (acut)	systemic	500	mg/kg/day
	dermal	Long term (chronic)	systemic	320	mg/kg/day
	inhalative	Long term (chronic)	systemic	33	mg/m³



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 **Replaced version:** 13.0.0, issued: 15.12.2023 **Region:** GB

inhalative	Long term (chroni	c) local	33	mg/m³

PNEC values

No	Substance name		CAS / EC no		
NO		Time		0	
4	ecological compartment	Туре	Value		
1	acetone		67-64-1		
		Te i	200-662-2	,,	
	water	fresh water	10.6	mg/L	
	water	Aqua intermittent	21	mg/L	
	water	marine water	1.06	mg/L	
	water	fresh water sediment	30.4	mg/kg	
	water	marine water sediment	3.04	mg/kg	
	soil	-	29.5	mg/kg	
	sewage treatment plant	-	100	mg/L	
2	diphenylmethane-2,4'-diisocyanate		5873-54-1		
			227-534-9		
	water	fresh water	3.7	μg/L	
	water	marine water	0.37	μg/L	
	water	fresh water sediment	11.7	mg/kg dry	
				weight	
	water	marine water sediment	1.17	mg/kg dry	
				weight	
	soil	-	2.33	mg/kg dry	
				weight	
3	diphenylmethane-4,4'-diisocyanate	101-68-8			
			202-966-0		
	water	fresh water	3.7	μg/L	
	water	marine water	0.37	μg/L	
	water	fresh water sediment	11.7	mg/kg dry	
				weight	
	water	marine water sediment	1.17	mg/kg dry	
				weight	
	soil	-	2.33	mg/kg dry	
				weight	
	sewage treatment plant	-	1	mg/L	
4	2-methoxy-1-methylethyl acetate		108-65-6		
			203-603-9		
	water	fresh water	0.635	mg/L	
	water	marine water	0.064	mg/L	
	water	fresh water sediment	3.29	mg/kg	
	with reference to: dry weight				
	water	marine water sediment	0.329	mg/kg	
	with reference to: dry weight		1	<u> </u>	
	soil	-	0.29	mg/kg	
	with reference to: dry weight		1	J J	
	sewage treatment plant	-	100	mg/L	

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

In case of insufficient ventilation and during spray application respiratory protection necessary. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 **Replaced version:** 13.0.0, issued: 15.12.2023 **Region:** GB

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

.1 Information on basic physical and c			
State of aggregation			
Form			
liquid			
Colour			
yellowish			
Odour			
slightly aromatic			
pH value			
No data available			
Boiling point / boiling range			
Value		260	°C
Melting point/freezing point			
No data available			
Setting point / solidification range			
Value		-18	°C
Decomposition temperature			
No data available			
Flash point			
Value	<	15	°C
Method	DIN 51758		•
Ignition temperature			
Value		480	°C
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
Value		21	mbar
Reference temperature		20	°C
Value		45	mbar



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 Replaced version: 13.0.0, issued: 15.12.2023 Region: GB

Reference temperature	50	°C	
Value	50	mbar	
Reference temperature	55	°C	

Relative vapour density

No data available

Relative density No data available

Density			
Value	appr.	0.978	g/cm³
Reference temperature		20	°C
Method	DIN 53217		

Solubility in water	
Comments	insoluble
Comments	Reacts with water

Solubility No data available

Part	ition coefficient n-octanol/water (log valu	e)				
No	Substance name		CAS no.		EC no.	
1	acetone		67-64-1		200-662-2	
log F	Pow			-0.23		
Meth	nod	QSAR				
Soul	ce	ECHA				
2	diphenylmethane-2,4'-diisocyanate		5873-54-1		227-534-9	
log F	Pow			4.51		
Refe	rence temperature			22	°C	
with	reference to	pH 7				
Meth	nod	OECD 117				
Soul	rce	ECHA				
3	diphenylmethane-4,4'-diisocyanate		101-68-8		202-966-0	
log F	Pow			4.51		
Refe	rence temperature			20	°C	
Meth	nod	OECD 117				
Soul	ce	ECHA				
4	2-methoxy-1-methylethyl acetate		108-65-6		203-603-9	
log F	Pow			1.2		
Refe	rence temperature			20	°C	
Meth	nod	OECD 117				
Soul	ce	ECHA				

Kinematic viscosity			
Value	appr.	2800	mPa*s
Reference temperature		23	°C

Particle characteristics	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 **Replaced version:** 13.0.0, issued: 15.12.2023 **Region:** GB

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Moisture. Heat

10.5 Incompatible materials

Oxidizing agents; Metals; Reducing agents; Alcohols; Acids; Bases; Amines; Water; Alkali metals; Copper and copper alloys.

10.6 Hazardous decomposition products

In case of fire the following can be released: Isocyanate vapours; Traces of hydrogen cyanide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity			
No	Substance name	CAS no.		EC no.
1	acetone	67-64-1		200-662-2
LD5	0		5800	mg/kg bodyweight
Spe	cies	rat		
Sou	rce	ECHA		
Eval	luation/classification	Based on available data,	, the classification	n criteria are not met.
2	diphenylmethane-4,4'-diisocyanate	101-68-8		202-966-0
LD5	0	>	2000	mg/kg bodyweight
Spe	cies	rat		
Sou	rce	ECHA / Read across		
3	2-methoxy-1-methylethyl acetate	108-65-6		203-603-9
LD5	0	>	5000	mg/kg bodyweight
Spe	cies	rat		
Sou	rce	ECHA		

Acu	te dermal toxicity				
No	Substance name		CAS no.		EC no.
1	acetone		67-64-1		200-662-2
LD5	0	>		15800	mg/kg bodyweight
Spe	cies	rabbit			
Soul	rce	ECHA			
Eval	uation/classification	Based on ava	ilable data, the	e classification	r criteria are not met.
2	diphenylmethane-4,4'-diisocyanate		101-68-8		202-966-0
LD5	0	>		9400	mg/kg bodyweight
Spe	cies	rabbit			
Meth	nod	OECD 402			
Soul	rce	ECHA / Read	across		
3	2-methoxy-1-methylethyl acetate		108-65-6		203-603-9
LD5	0	>		5000	mg/kg bodyweight
Spe	cies	rat			-
Meth	nod	OECD 402			
Sou	rce	FCHA			

Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)		
No	Product Name		
1	WIDOPAN-Uini Primer		



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 Replaced version: 13.0.0, issued: 15.12.2023 Region: GB

Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective
	categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).

Acu	te inhalational toxicity			
No	Substance name	CAS no.		EC no.
1	acetone	67-64-1		200-662-2
LC5	0		76	mg/l
Dura	ation of exposure		4	h
State	e of aggregation	Vapour		
Spe	cies	rat		
Soul	rce	ECHA		
Eval	uation/classification	Based on available data, th	ne classification	n criteria are not met.

Skir	n corrosion/irritation			
No	Substance name		CAS no.	EC no.
1	acetone		67-64-1	200-662-2
Spe	cies	guinea pig		
Sou	rce	ECHA		
Eva	luation	non-irritant		
Eva	luation/classification	Based on avai	lable data, the cl	lassification criteria are not met.
2	diphenylmethane-4,4'-diisocyanate		101-68-8	202-966-0
Met	hod	OECD 404		
Sou	rce	ECHA / Read	across	
Eva	luation	irritant		
3	2-methoxy-1-methylethyl acetate		108-65-6	203-603-9
Spe	cies	rabbit		
Met	hod	OECD 404		
Sou	rce	ECHA		
Eva	luation	non-irritant		

Seri	ous eye damage/irritation		
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Spe	cies	rabbit	
Meth	nod	OECD 405	
Sou	rce	ECHA	
Eval	uation	irritant	
Eval	uation/classification	Based on available data, the classification	on criteria are met.
2	2-methoxy-1-methylethyl acetate	108-65-6	203-603-9
Spe	cies	rabbit	
Meth	nod	OECD 405	
Sou	rce	ECHA	
Eval	uation	non-irritant	

Res	Respiratory or skin sensitisation					
No	Substance name	CAS no.	EC no.			
1	acetone	67-64-1	200-662-2			
Rou	te of exposure	Skin				
Spe	cies	guinea pig				
Soul	rce	ECHA				
Eval	uation	non-sensitizing				
Eval	uation/classification	Based on available data, the classification criteria are not met.				
2	2-methoxy-1-methylethyl acetate	108-65-6	203-603-9			
Rou	te of exposure	Skin				
Spe	cies	guinea pig				
Meth	nod	OECD 406				



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 **Replaced version:** 13.0.0, issued: 15.12.2023 **Region:** GB

Source	ECHA
Evaluation	non-sensitizing

Ger	m cell mutagenicity				
No	Substance name	CAS no.	EC no.		
1	acetone	67-64-1	200-662-2		
Туре	e of examination	in vitro gene mutation study in ba	cteria		
Spe	cies	Salmonella typhimurium			
Metl	nod	OECD 471			
Sou	rce	ECHA			
Eva	uation/classification	Based on available data, the class	sification criteria are not met.		
Туре	e of examination	In vitro Mammalian Chromosoma	l Aberration Test		
Spe	cies	Chinese hamster Ovary (CHO)			
Metl	nod	OECD 473			
Sou	rce	ECHA			
Eval	uation/classification	Based on available data, the classification criteria are not met.			
Туре	e of examination	in vitro gene mutation study in mammalian cells			
Spe	cies	Mouse lymphoma cells			
Met	nod	OECD 476			
Sou	rce	ECHA			
Eval	uation/classification	Based on available data, the class	sification criteria are not met.		
2	diphenylmethane-2,4'-diisocyanate	5873-54-1	227-534-9		
Sou	rce	ECHA			
Eva	uation/classification	Based on available data, the class	sification criteria are not met.		

Rep	roduction toxicity		
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Rou	te of exposure	inhalational	
NOA	AEC .	2200	ppm
Туре	e of examination	Prenatal Developmental Toxicity Study	
Spe	cies	rat	
Meth	nod	OECD 414	
Soul	rce	ECHA	
Eval	uation/classification	Based on available data, the classification	n criteria are not met.

Card	Carcinogenicity				
No	Substance name	CAS no.	EC no.		
1	acetone	67-64-1	200-662-2		
Rou	te of exposure	dermal			
Туре	e of examination	Toxicity study			
Spe	cies	mouse			
Source		ECHA			
Eval	uation/classification	Based on available data, the classification criteria are not met.			

STOT - single exposure No data available

STOT - repeat	ed exposure			
No Substance	ce name	C/	AS no.	EC no.
1 acetone		67	-64-1	200-662-2
Route of expos	sure	oral		
NOAEL			10000	ppm
Species		rat		
Method		OECD 408		
Source		ECHA		
Evaluation/clas	ssification	Based on availab	ole data, the classification	criteria are not met.
Route of expos	sure	inhalational		
NOAEC			19000	ppm
Species		rat		
Source		ECHA		



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 **Replaced version :** 13.0.0, issued: 15.12.2023 **Region :** GB

Evaluation/classification

Based on available data, the classification criteria are not met.

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

In case of overexposure – especially during spraying applications without observed safety measures – danger of eye, nose, throat and airways irritation. Delayed appearance of difficulties and development of hypersensitivity (difficult breathing, coughing, and asthma) are possible. There may be hypersensitive persons who develop reactions following exposure to very low concentrations of isocyanates, even below the threshold limit value at the workplace. Tanning and irritating effects are possible at prolonged skin contact.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)				
No	Substance name	CAS no.		EC no.	
1	acetone	67-64-1		200-662-2	
LC5	0		5540	mg/l	
Dura	ation of exposure		96	h	
Spec	cies	Oncorhynchus mykiss			
Soul	rce	ECHA			
Eval	uation/classification	Based on available data, th	he classification	n criteria are not met.	
2	2-methoxy-1-methylethyl acetate	108-65-6		203-603-9	
LC5	0	100	- 180	mg/l	
Dura	ation of exposure		96	h	
Spec	cies	Oncorhynchus mykiss			
Meth	nod	OECD 203			
Soul	rce	ECHA			

Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	acetone	67-64-1		200-662-2	
EC5	0		8800	mg/l	
Dura	ation of exposure		48	h	
Spec	cies	Daphnia pulex			
Source		ECHA			
Evaluation/classification Based on available data, the classification criteria are not met.		r criteria are not met.			

Toxicity to Daphnia (chronic)

No data available

Toxi	Toxicity to algae (acute)				
No	Substance name	CA	S no.	EC no.	
1	2-methoxy-1-methylethyl acetate	10	8-65-6	203-603-9	
EC5	0	>	1000	mg/l	
Dura	ation of exposure		72	h	
Spe	cies	Pseudokirchneriella subcapitata			
Method		OECD 201			
Soul	rce	ECHA			



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 Replaced version: 13.0.0, issued: 15.12.2023 Region: GB

To	cicity	to	algae	(chronic)	١
					_

No data available

Bacteria toxicity

No data available

12 2	Parsistance	and	degradability	,
12.2	reisistence	anu	ueurauabilit	,

Biod	Biodegradability						
No	Substance name	CAS no.		EC no.			
1	acetone	67-64-1		200-662-2			
Туре		aerobic biodegradation					
Valu	e		90.9	%			
Duration			28	day(s)			
Method		OECD 301 B		, , , , , , , , , , , , , , , , , , ,			
Source		ECHA					
Eval	uation	readily biodegradable					
2	2-methoxy-1-methylethyl acetate	108-65-6		203-603-9			
Туре)	aerobic biodegradation					
Valu	e		90	%			
Duration			28	day(s)			
Method		OECD 301 F		• ,			
Source		ECHA					
Evaluation		readily biodegradable					

12.3 Bioaccumulative potential

Biod	Bioconcentration factor (BCF)						
No	Substance name	С	AS no.		EC no.		
1	diphenylmethane-2,4'-diisocyanate	5	873-54-1		227-534-9		
BCF		92	-	200			
Method		OECD 305 E					
Source		ECHA					

Partition coefficient n-octanol/water (log value)							
No	Substance name		CAS no.		EC no.		
1	acetone		67-64-1		200-662-2		
log Pow			-0.23				
		QSAR					
Source		ECHA					
2	diphenylmethane-2,4'-diisocyanate		5873-54-1		227-534-9		
log F	Pow			4.51			
	rence temperature			22	°C		
with	with reference to						
Method		OECD 117					
Soul	ce	ECHA					
3	diphenylmethane-4,4'-diisocyanate		101-68-8		202-966-0		
log F	Pow			4.51			
Refe	rence temperature			20	°C		
Meth	nod .	OECD 117					
Soul	ce	ECHA					
4	2-methoxy-1-methylethyl acetate		108-65-6		203-603-9		
log Pow				1.2			
Reference temperature				20	°C		
Method		OECD 117					
Source ECH		ECHA					

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 **Replaced version:** 13.0.0, issued: 15.12.2023 **Region:** GB

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers should be disposed of only after removing product residues adhering to container walls, by the reaction with a decontaminating solution (see item 7).

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN1993 IMDG UN1993 ICAO-TI / IATA UN1993

14.2 UN proper shipping name

ADR/RID/ADN FLAMMABLE LIQUID, N.O.S.

Technical name acetone

2-methoxy-1-methylethyl acetate

IMDG FLAMMABLE LIQUID, N.O.S.

Technical name acetone

2-methoxy-1-methylethyl acetate

ICAO-TI / IATA Flammable liquid, n.o.s.

Technical name acetone

2-methoxy-1-methylethyl acetate

14.3 Transport hazard class(es)

ADR/RID/ADN - Class 3 3 Label Classification code F1 Tunnel restriction code D/E Hazard identification no. 33 Special Provision 640 640D **IMDG - Class** 3 3 Label ICAO-TI / IATA - Class 3

14.4 Packing group

Label

ADR/RID/ADN II
IMDG II
ICAO-TI / IATA II

14.5 Environmental hazards



Trade name: WIDOPAN-Uini Primer

Current version: 13.1.0, issued: 06.06.2024 Replaced version: 13.0.0, issued: 15.12.2023 Region: GB

F-E. S-E

14.6 Special precautions for user

No data available

Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EU regulations**

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006

ann	annex XVII.						
No	Substance name	CAS no.	EC no.	No			
1	2,2'-methylenediphenyl diisocyanate	2536-05-2	219-799-4	75			
2	2-methoxypropyl acetate	70657-70-4	274-724-2	75			
3	acetone	67-64-1	200-662-2	75			
4	dibutyltin-dilaurate	77-58-7	201-039-8	75			
5	diphenylmethane-2,4'-diisocyanate	5873-54-1	227-534-9	56, 74, 75, 77			
6	diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0	56, 74, 75, 77			
7	diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	-	56, 74, 75, 77			
8	tosyl isocyanate	4083-64-1	223-810-8	75			

Directive 2012/18/EU on the control of major-accident hazards involving dangerous s	ubstances
This product is subject to Part I of Annex I, risk category:	P5b

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH014 Reacts violently with water.

EUH066 Repeated exposure may cause skin dryness or cracking.



Trade name: WIDOPAN-Uini Primer

Current version : 13.1.0, issued: 06.06.2024 **Replaced version:** 13.0.0, issued: 15.12.2023 **Region:** GB

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H373i May cause damage to organs through prolonged or repeated exposure if inhaled.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008,

Annex VI)

C Some organic substances may be marketed either in a specific isomeric form or as a

mixture of several isomers. In this case the supplier must state on the label whether the

substance is a specific isomer or a mixture of isomers.

2 The concentration of isocyanate stated is the percentage by weight of the free monomer

calculated with reference to the total weight of the mixture.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 21791